	Application No.	Applicant(s)
	00/040 422	MURATA ET AL.
Notice of Allowability	09/940,432 Examiner	Art Unit
-	Charles Kim	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to submissions received on 6/13/2007.		
2. The allowed claim(s) is/are 1,3-10,12-25,27-45 (renumbered as claims 1-42 accordingly).		
3.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☒ Examiner's Amenda 8. ☒ Examiner's Stateme 9. ☐ Other	(PTO-413), te

Art Unit: 2624

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on June 13, 2007 has been entered.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kurt Berger (Registration No. 51,461) on July 23, 2007. The application has been amended as follows:

In the claims:

Claim 34, line 1, replace "method according to" with --apparatus of--

Claim 35, line 1, replace "method according to" with --apparatus of--

Claim 36, line 1, replace "method according to" with --apparatus of--

Claim 37, line 1, replace "method according to" with --apparatus of--

Art Unit: 2624

Claim 38, line 1, replace "method according to" with --apparatus of--

Claim 39, line 1, replace "method according to" with --apparatus of--

Claim 40, line 1, replace "image processing method according to" with --computer readable storage medium of--

Claim 41, line 1, replace "image processing method according to" with --computer readable storage medium of--

Claim 42, line 1, replace "image processing method according to" with --computer readable storage medium of--

Claim 43, line 1, replace "image processing method according to" with --computer readable storage medium of--

Claim 44, line 1, replace "image processing method according to" with --computer readable storage medium of--

Claim 45, line 1, replace "image processing method according to" with --computer readable storage medium of--

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Referring to claim 1, 9 and 15, the essential difference from the prior art is calculating the direction of the tangible object plane based on the feature point and the matched point, the tangible object plane being defined by a spatial orientation of the tangible object. Moreover, the prior does not disclose selecting one of the plurality of overlapping images as a standard image based on: (1) a direction of a straight-line pattern in each image, (2) the feature point and the

Art Unit: 2624

matched point, or (3) a calculated direction of the object plane for each of the plurality of overlapping images. These features in combination with the other elements of the claim and the base claim are not disclosed or suggested by the prior art of record.

Referring to claims 6, 7, 16, the essential difference from the prior art is calculating the direction of the tangible object plane based on the feature point and the matched point, the tangible object plane being defined by a spatial orientation of the tangible object. Moreover, the prior does not disclose selecting one of the plurality of overlapping images as the standard image that contains the smallest amount of image distortions among the plurality of overlapping images. These features in combination with the other elements of the claim and the base claim are not disclosed or suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles Kim whose telephone number is 571-272-7421. The examiner can normally be reached on Mon thru Thurs 8:30am to 6pm and alternating Fri 9:30am to 6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on 571-272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-272-8300.

Art Unit: 2624

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles Kim
Patent Examiner
Art Unit 2624
chongr.kim@uspto.gov

MATTHEW C. BELLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Marches (Bella

July 23, 2007